

Building/ft ²	Source EUI (kBtu/ft ²)			Site EUI (kBtu/ft ²)			Total GHG (Metric Tons CO ₂ e)			Energy Costs			Current Source EUI (kBtu/ft ²)
	2014	2016	%change	2014	2016	%change	2014	2016	%change	2014	2016	%change	
Courthouse 1484 ft ²	165.3	137.7	-16.7%	133.1	82.8	-37.8%	14.1	8.2	-41.8%	5133.56	2264.65	-2868.91 -55.9%	147.3
Senior & Community Center 4062 ft ²	63.5	59.3	-6.6%	41.4	32.0	-22%	11.3	8.2	-27.4%	4687.37	2565.38	-2121.99 -45.3%	60.7
Town Barn 3480 ft ²	144.3	166.1	+15.1%	120.7	135.5	+14.1%	26.4	30.3	+14.8%	9933.23	7878.35	-2054.88 -20.7%	131.6
	2015	2016											
Town Hall 5083 ft ²	122.1	107.7	-11.8%	75.6	62.5	-17.3%	25.5	20.8	-18.4	7638.46	5488.24	-2150.22 -28.1	Energy Star Score 58
Barryville Fire Building 1200 ft ²	109.4	106.4	-2.7%	58.2	56.9	-2.2%	4.5	4.1	-2.2%	1744.24	1462.79	-281.45 -16.1%	110.7
Eldred Fire Building 1764 ft ²	58.1	56.4	-2.9%	45.1	39.1	-13.3%	5.0	4.2	-16.0%	1699.83	1376.76	-323.07 -19%	60.3